





Simplicity and Efficiency in X-ray imaging

▶ Simple workflow









| Specifications | PLEPTINE The case | FLUTCH Once man | PARTIES. Associate | FUER N Name |
|----------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Product name | FDR SE Lite G35 | FDR SE Lite C35 | FDR SE Lite G43 | FDR SE Lite C43 |
| Model name | Mars1417XF-GSI | Mars1417XF-CSI | Mars1717XF-GSI | Mars1717XF-CSI |
| Scintillator | GOS (Gadolinium oxysulfide) | CsI (Cesium Iodide) | GOS (Gadolinium oxysulfide) | Csl (Cesium lodide) |
| Detector size | 460 × 384 × 15mm (Approx.) | 460 × 384 × 15mm (Approx.) | 460 × 460 × 15mm (Approx.) | 460 × 460 × 15mm (Approx.) |
| Weight | Approx. 3.0kg (including battery) | Approx. 3.0kg (including battery) | Approx. 4.0kg (including battery) | Approx. 4.0kg (including battery) |
| | | | | |

Battery charger, 2 batteries are included in the standard package.

Optional parts



External appearance and specifications are subject to change without notice. FDR SE Lossole (model name: DR-ID330CL) is not included in the component of FDR SE Lite Series. FDR SE Lite Series and FDR SE Console are independent from regulatory perspective. For the details of the regulatory information and availability in your country, please contact our local representative. All products require the regulatory approval of the importing country.



